## U.S. Army Corps of Engineers - Charleston District Checklist for 2002 Nationwide Permit Review Nationwide Permit 42

## Recreational Facilities (404)

SAC #:							
Applicant Name:							
Waterway/Location:							
Project Name:							
1.	Is the proposal for the discharge of dredged or fill material into non-tidal waters of the U.S., excluding non-tidal wetlands adjacent to tidal waters, for the construction or expansion of recreational facilities <sup>1</sup> ?						
		☐ Yes	No				
2.	Does the discharge car U.S., excluding non-tid				tidal waters of the		
		☐ Yes*	☐ No				
3.	Does the discharge car	use the loss of g	reater than 1/2	acre of water	s of the U.S.?		
		Yes	☐ No				
4. Is the discharge located in a designated critical resource water or its adjacent we							
		Yes²	1	No			
5.	Does the discharge cause the loss of more than 300 linear feet of streambed?						
		Yes	☐ No				
6.	If the discharge is local proposed below the he						
		Yes	☐ No	□ NA			
7.	Is the discharge for the baseball, soccer or foo or for the construction of	tball), basketball	or tennis cour	ts, racetracks,	stadiums, or arenas		
		Yes	☐ No				
8.	Does the primary funct buildings, or impervious		tional facility ir	nclude the use	of motor vehicles,		
		Yes	□ No				

9.	Is the discharge for the purpose of construction or expansion of small support facilities such as maintenance and storage buildings and stables that are directly related to the recreational activity.					
		☐ Yes	No			
10.	Is the discharge for a sin	ngle and comple	te project?			
		☐ Yes	_ No			
11.	Are all of the applicable NWP General and Regional Conditions satisfied, including mitigation (GC #19), endangered species, and cultural resources, and if any Federally listed species and/or designated critical habitat occurs in the action area, have you made an effect determination and properly documented it in the administrative record?					
		☐ Yes	_ No			
12.	Has Individual Coastal Zone Consistency Determination been received?**					
		☐ Yes	No	□NA		

TO QUALIFY FOR THE NWP, UNLESS OTHERWISE NOTED, EVERY NUMBERED ITEM MUST HAVE A CHECKED BOX.

\* - REQUIRES A PRE-CONSTRUCTION NOTIFICATION (PCN) TO THE DISTRICT ENGINEER.

NOTE: THE PCN MUST ALSO INCLUDE A DELINEATION OF AFFECTED SPECIAL AQUATIC SITES, INCLUDING VEGETATED WETLANDS, VEGETATED SHALLOWS (submerged aquatic vegetation, seagrass beds) AND RIFFLE POOL COMPLEXES.

- <sup>1</sup> For the purposes of this NWP, the term "recreational facility" is defined as a recreational activity that is integrated into the natural landscape and does not substantially change preconstruction grades or deviate from natural landscape contours.
- <sup>2</sup> Discharges of dredged or fill material into waters of the U.S. may be authorized by this NWP in National Wild and Scenic Rivers if the activity complies with NWP General Condition 7. Further, such discharges may be authorized in designated critical habitat for Federally listed threatened or endangered species if the activity complies with NWP General Condition 11, and the U.S. Fish and Wildlife Service or the National Marine Fisheries Service has concurred in a determination of compliance with this condition.

\*\*NOTE: This NWP must be coordinated with DHEC/OCRM prior to authorization in the following counties: Jasper, Beaufort, Colleton, Dorchester, Charleston, Berkeley, Georgetown, Horry. If activity is located outside the coastal zone, provisional authorizations can be made prior to State approval.